

Certificate

SANITARY APPLIANCES

Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system NF 017, in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

The company **ECZACIBASI YAPI GERECLERI A.S.**
 BUYUKDERE CAD. No. 185
 TR-34394 LEVENT-ISTANBUL

Brand : **VITRA**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Renewal Decision ECZA dated 07/11/2018

This decision cancels and replaces any previous decision.

Except in case of withdrawal, suspension or modification, this certificate is valid for 15 months.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix


This certificate comprises 17 pages.

Correspondent :

Martine TRUFFERT
Phone : (33) 01 64 68 82 84

Email : martine.truffert@cstb.fr

For CSTB
On behalf of the Technical Director


Yannick LEMOIGNE

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210

Range	Commercial reference	Model	Pedestal	Water trap cover	Width (mm)
ARKITEKT	6084	Built-in toilet washbasin			530
ARKITEKT	6147	Wall-hung washbasin			600
ARKITEKT	6049	Wash-hand basin			400
ARKITEKT	6093	Corner washbasins			400
ARKITEKT	6024	Wash-hand basin			260
ARKITEKT	6018	Wash-hand basin			245
ARKITEKT	6030	Toilet washbasin			600
ARKITEKT	6109	Special washbasin			450
CONCEPT	5275	Wall-hung washbasin			500
CONCEPT	5276	Wall-hung washbasin			600
EMILIE	6084	Built-in toilet washbasin			530
Néant	6895	Wall-hung washbasin			600
NORMUS	5079	Pedestal washbasin	6915	6948	500
NORMUS	5087	Pedestal washbasin	6915	6948	550
NORMUS	5088	Pedestal washbasin	6915/6446/6936/SAVO00203/SAVO00211	6948	600
NORMUS	5089	Pedestal washbasin	6915	6948	650
NORMUS	5078	Wash-hand basin			450
S20	5468	Toilet washbasin			525

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Model	Pedestal	Water trap cover	Width (mm)
S20	5464	Toilet washbasin			500
S20	5291	Wall-hung washbasin			650
S20	5503	Pedestal washbasin	5529	5281	600
S20	5501	Wall-hung washbasin	5529	5281	500
S20	5289	Special washbasin			600
SHIFT	4387	Vanity basin			500

Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601

Range	Commercial reference	Shape	Type	Width (mm)	Length (mm)	Option Slipperiness
ALTERNA SEDUCTA	4097	Quarter-round	To be installed	900	900	
ALTERNA SEDUCTA	4096	Square	To be installed	900	900	
ALTERNA SEDUCTA	4094	Square	To be installed	800	800	
ALTERNA SEDUCTA	4095	Quarter-round	To be installed	800	800	
ALTERNA SEDUCTA	4098	Rectangular	To be installed	700	900	
ALTERNA SEDUCTA	4099	Rectangular	To be installed	800	1200	
ALTERNA SEDUCTA	5415	Rectangular	To be installed	800	1000	
ARKITEKT	4097	Quarter-round	To be installed	900	900	
ARKITEKT	4096	Square	To be installed	900	900	
ARKITEKT	4094	Square	To be installed	800	800	

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Shape	Type	Width (mm)	Length (mm)	Option Slipperiness
ARKITEKT	4095	Quarter-round	To be installed	800	800	
ARKITEKT	4098	Rectangular	To be installed	700	900	
ARKITEKT	4099	Rectangular	To be installed	800	1200	
ARKITEKT	5415	Rectangular	To be installed	800	1000	
ARKITEKT	5732	Rectangular	To be installed	800	1000	
ARKITEKT	5733	Rectangular	To be installed	800	1200	
ARKITEKT	5735	Square	To be installed	700	700	
ARKITEKT	5736	Rectangular	To be installed	900	1400	
ARKITEKT	5736L303R1088	Rectangular	To be installed	900	1400	PN 24
ARKITEKT	5732L303M0578	Rectangular	To be installed	800	1000	PN 24
ARKITEKT	5415L303M0578	Rectangular	To be installed	800	1000	PN 24
ARKITEKT	4096L303M0578	Square	To be installed	900	900	PN 24
ARKITEKT	5809LXXXM0578	Rectangular	To be installed	800	1200	
ARKITEKT	5805LXXXM0578	Square	To be installed	800	800	
ARKITEKT	5808LXXXM0578	Rectangular	To be installed	800	1000	
CASCADE	5761LxxxM0578	Square	To be installed	800	800	
CASCADE	5761L203M0578	Square	To be installed	800	800	PN 24
CASCADE	5763LxxxM0695	Rectangular	To be installed	800	1000	
CASCADE	5763L203M0695	Rectangular	To be installed	800	1000	PN 24
CASCADE	5762LxxxM0578	Quarter-round	To be installed	900	900	

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Shape	Type	Width (mm)	Length (mm)	Option Slipperiness
CASCADE	5762L203M0578	Quarter-round	To be installed	900	900	PN 24
CASCADE	5765LxxxM0695	Rectangular	To be installed	800	1200	
CASCADE	5765L203M0695	Rectangular	To be installed	800	1200	PN 24
CASCADE	5764LXXXM0695	Rectangular	To be installed	800	1200	
CASCADE	5764L203M0695	Rectangular	To be installed	800	1200	PN 24
CASCADE	5766LXXM0695	Rectangular	To be installed	900	1400	
CASCADE	5766L203M0695	Rectangular	To be installed	900	1400	PN 24
Néant	5714xxxx1590	Square	To be installed	800	800	
Néant	5715xxxx1590	Rectangular	To be installed	700	900	
Néant	5716xxxx1590	Square	To be installed	900	900	
Néant	5717xxxx1590	Rectangular	To be installed	800	1000	
Néant	5718xxxx1590	Rectangular	To be installed	800	1200	
Néant	5719xxxx1590	Quarter-round	To be installed	900	900	
OCEAN	5730	Square	To be installed	800	800	
OCEAN	5731	Square	To be installed	900	900	
OCEAN	5734	Rectangular	To be installed	900	1200	
SEDUCTA	5720	Square	To be installed	800	800	
SEDUCTA	5721	Rectangular	To be installed	700	900	
SEDUCTA	5722	Rectangular	To be installed	900	900	
SEDUCTA	5723	Rectangular	To be installed	800	1000	

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Shape	Type	Width (mm)	Length (mm)	Option Slipperiness
SEDUCTA	5724	Rectangular	To be installed	800	1200	
SEDUCTA	5714 LxxxM1590	Square	To be installed	800	800	
SEDUCTA	6554504	Square	To be installed	800	800	
SEDUCTA	5714L203M1590	Square	To be installed	800	800	PN 24
SEDUCTA	5715LxxxM1590	Rectangular	To be installed	700	900	
SEDUCTA	5715L203M1590	Rectangular	To be installed	700	900	PN 24
SEDUCTA	5716LxxxM1590	Square	To be installed	900	900	
SEDUCTA	5716L203M1590	Square	To be installed	900	900	PN 24
SEDUCTA	5717LxxxM1590	Rectangular	To be installed	800	1000	
SEDUCTA	5717L203M1590	Rectangular	To be installed	800	1000	PN 24
SEDUCTA	5718LxxxM1590	Rectangular	To be installed	800	1200	
SEDUCTA	5718L203M1590	Rectangular	To be installed	800	1200	PN 24
SEDUCTA	5719L203M1590	Quarter-round	To be installed	900	900	PN 24

Enamelled material products for municipal services

These products have the minimum characteristics defined in the standard: NF EN 13407; NF EN 14296; NF EN 80; NF D 11-130; NF D14-601 and into the technical(s) document(s) : DT017-16

Range	Commercial reference	Model	Size
ARKITEKT	6563	Urinal	355 x 570
ARKITEKT	6663	Urinal	355 x 570

Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
ARKITEKT	6107	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	
ARKITEKT	5112	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	
ARKITEKT	6105	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	
ARKITEKT	5959	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
CONFORMA	5813	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
CONFORMA	5812	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
CONFORMA	5814	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
CONFORMA	5816	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5422xxx5033	Horizontale	No	6

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
CORTO	6105	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	
D-LIGHT	5911	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
EMILIE	6468	Pedestal, close-coupled cistern, direct flushing	Vitreous china	6656XXX5031/5346	Horizontale	No	
FORM 500	4305	One-piece, direct flushing	Vitreous china		Horizontale	No	
METROPOLE	7672	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
MIX&MATCH	5822	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5932xxx5533	Horizontale	No	6
Néant	6623	Pedestal, close-coupled cistern, direct flushing	Vitreous china	6656xxxx0112	Horizontale	No	6
Néant	5575	Pedestal, close-coupled cistern, direct flushing	Vitreous china	6656xxxx0112	Verticale	No	6

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
Néant	5817	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5422xxxx5371	Horizontale	No	6
Néant	4337	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
NORMUS	6855	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	
NORMUS	6858	Pedestal, independent supply, direct flushing	Vitreous china			No	
NORMUS	5111	Pedestal, close-coupled cistern, direct flushing	Vitreous china	6656XXX5031 / 6656XXX5125	Horizontale	No	
NORMUS	5110	Pedestal, close-coupled cistern, direct flushing	Vitreous china	6656xxx5125	Verticale	No	6
NORMUS	5820	Pedestal, close-coupled cistern, direct flushing	Vitreous china	4221xxxx5031	Horizontale		6
NORMUS	5111	Pedestal, close-coupled	Vitreous china	4221xxxx5346	H	No	6

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
		cistern, direct flushing					
OPTIONS	4448	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S20	5505	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S20	5507	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S20	5506	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S20	5293	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5422xxxx5033	Horizontale	No	6
S20	7741	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S20	7749	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S50	5321	Pedestal, close-coupled	Vitreous china	5322XXX5033	Horizontale	No	

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
		cistern, direct flushing					
S50	5421	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5422xxxx5033	Horizontale	No	
S50	5320	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S50	5318	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S50	7740	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
S50	5745	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5422xxxx5553 / 5422xxxxx5033	Horizontale		6
S50	5956	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
SELENA	5202	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5203XXX5031	Horizontale	No	

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
SENTO	7747	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
SENTO	7748	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
SHIFT	7742	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
ZENTRUM	5788	Pedestal, independent supply, direct flushing	Vitreous china		Horizontale		6
ZENTRUM	5781	Pedestal, close-coupled cistern, direct flushing	Vitreous china	5783xxxx1253	Horizontale		6
ZENTRUM	5785	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6

Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
CC 3/6L - 12cm	742-5802-01	740-0580,	6	VITRA 436868	FLUIDMASTER 436706		

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
		740-0680, 740-0780, 740-1100					
CC FRONT OPER DF	742-4802-01	740-0580, 740-0680, 740-0780, 740-1100	6	VITRA 436868	FLUIDMASTER 436706		
CONFORMA	5422xxx5033		6	SIAMP SKIPPER 36A	SIAMP COMPACT 45L	5745 / 5816	
EMILIE	6656XXX5031		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	6468	
EMILIE	6656XXX5346		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	6468	
MIX&MATCH	5932xxx5533		6	SIAMP OPTIMA 49	SIAMP COMPACT 95L	5822	
Néant	6656xxxx00112		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	6623	
Néant	6656xxx5031		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5575	
Néant	5422xxxx5371		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5817	
NORMUS	6656XXX5125		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5111	
NORMUS	4221xxxx5031		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5820 / 5111	

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
NORMUS	4221XXX5346		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	9823XXX7201	
S20	5422XXX5033		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5293	
S50	5322XXX5033		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5321	
S50	5422xxxx5033		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5421 / 5293	
S50	5422xxxx5033		6	SIAMP SKIPPER 36A	SIAMP COMPACT 45L	5745 / 5816	
SANIBELL 3000	5227XXX5397		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5226	
SELENA	5203XXX5031		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5202	
SELENA	5203XXX5346		6	SIAMP SKIPPER	SIAMP COMPACT95L	5202	
ZENTRUM	5783XXXX1253		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	5781	

Frame body

These products have the minimum characteristics defined in the standard: NF D 12-208 and into the technical(s) document(s) : DT017-17

Range	Commercial reference	Control	Type of installation	Cistern reference
437095	742-4802-01	740-0580, 740-0680, 740-0780, 740-1100	Autoportant	742-4802-01
437096	742-5802-01	740-0580, 740-0680, 740-0780, 740-1100	Applique	742-5802-01

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Vitreous enamelled sinks

These products have the minimum characteristics defined in the standard: NF EN 13310; NF EN 695; NF D 13-101; NF D13-101; NF D14-601

Range	Commercial reference	Model	Width (mm)	Length (mm)
BUTLER	5772	Sink-basin	450	600

PACK

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Control	Reference of toilet seat	REF_BATI	Stop valve ref.	Type
ARKITEKT	6105XXX6001	6105			25XXX001			
ARKITEKT	6107xxxx6054	6107			VITRA / 23xxx007			6
CONFORMA	5813xxxx6078	5813			84xxx011			6
EMILIE	9746XXX0299	6468	6656XXX5031		23XXX002			
EMILIE	9746XXX0263	6468	6656XXX5346		18XXX002			
EMILIE	9746xxx0297	6468	6656XXX5031		18XXX002			
EMILIE	9746XXX0263	6468	6656XXX5346		18XXX002			
Néant	9822xxxx7200	5822	5932xxx5033		84xxx739			6
Néant	9754xxxx7204	6623	6656xxx0112		23xxx001			6
Néant	9754xxxx7205	6623	6656xxx0112		23xxx002			6
Néant	5318xxxx6037	5318			72xxx301			6
Néant	9831xxxx7200	5575	6656xxx5031		23xxx002			6
Néant	9829xxxx7200	5817	5422xxxx5532		84xxx739			6
Néant	4337Cxxx6131	4337			VITRA / 86xxx739			6
NORMUS	9780xxx0599	5111	6656XXX5125		23XXX002			
NORMUS	9780XXX0597	5111	6656XXX5031		23XXX002			
NORMUS	9780XXX0884	5111	6656XXX5125		23XXX001			
NORMUS	9780XXX1145	5111	6656XXX5125		18XXX002			
NORMUS	9780XXX0651	5111	6656XXX5125		18XXX002			
NORMUS	9780XXX0652	5111	6656XXX5031		18XXX002			
NORMUS	9766XXX0628	5111	5853XXX5031		18XXX002			
NORMUS	9780XXX0702	5111	6656XXX5031		18XXX0002			

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	WC pan reference	Cistern reference	Control	Reference of toilet seat	REF_BATI	Stop valve ref.	Type
NORMUS	9780XXX0886	5111	6656XXX5031		23XXX001			
NORMUS	9780XXX0671	5111	6656XXX5125		18XXX001			
NORMUS	9770XXX0599	5110	6656xxx5125		23xxx002			6
NORMUS	6855xxxx6002	6855			23xxx002			6
NORMUS	9705xxxx7200	5820	4221xxxx5031		84xxx011			6
NORMUS	9823XXX7201	5111	4221XXX5346		18XXX007			6
NORMUS	9823xxxx7200	5111	4221xxx5346		17xxx007			6
NORMUS	9823xxxx7201	5111	4221xxx5031		18xxx001 / 18xxx002			6
OPTIONS	4448xxxx6131	4448			VITRA / 86xxx739			6
S20	9802XXXX7200	5293	5422xxxx5033		88xxx001			6
S20	7741xxxx6079	7741			84xxx019			6
S20	9802xxxx7201	5293	5422xxxx5033		77xxx001			6
S20	7749xxxx6079	7749			84xxx739			6
S50	9797XXX0954	5321	5322XXX5033		48XXX001			
S50	9796XXX0954	5421	5422XXX5033		48XXX707			
S50	5318xxxx6039	5318			72xxx309			6
S50	9797xxxx7202	5745	5422xxxx5033		72xxx309			6
SELENA	9786XXX0660	5202	5203XXX5346		23XXX001			
SELENA	9786XXX0658	5202	5203XXX5346		23XXX002			
SHIFT	7742Nxxx6083	7742			91xxx709			6

Colours

Range	Commercial reference	GC	USURE	Sanitary ceramic	Enamelled steel	Enamelled cast iron	Acrylic	Synthetic
BLANC	00	Glossy Clear	III	Yes				
BLANC	003	Glossy Clear	III	Yes				
PERGAMON	95	Glossy Clear	III	Yes				
VITRA CLEAN	4XX	Glossy Clear	III	Yes				
VITRA HYGIENE	6XX	Glossy Clear	III	Yes				

Appendix to the Certificate

Renewal Decision ECZA dated 07/11/2018

Range	Commercial reference	GC	USURE	Sanitary ceramic	Enamelled steel	Enamelled cast iron	Acrylic	Synthetic
VITRA HYGIENE + CLEAN	7XX	Glossy Clear	III	Yes				